Center for Rural Health



American Indian/Alaska Native Mental Health Disparities

Jacqueline S. Gray, PhD

Center for Rural Health University of North Dakota

Rural Health Journalism Workshop
Association of Health Care Journalists
June 23, 2021



AI/AN Mental Health Issues

- The asterisks (*) of studies (to few to report)
- Office of Minority Health (OMH) reports AI/AN have higher rates than all races of:
 - Serious psychological distress
 - Feelings of sadness, hopelessness, & worthlessness
 - Feelings of nervousness or restlessness
 - Suicide
- AI/AN overrepresented among populations in high-need of MH services:
 - Homeless
 - Incarcerated
 - Substance abusers
 - Exposed to trauma
 - Children in foster care

AI/AN Mental Health Disparities

Alcohol Abuse:

- 39.4% AI/AN 26-49 years binge drink in the past month (national rate is 28.9%)
- Risk factors: unemployed or living in poverty
- AI/AN 5x as likely to die of alcohol related disease

Drug Abuse:

- 21.1% >11 years illicit drug use disorder in past year
- 20% need treatment; Only 12% who need it receive treatment
- Methamphetamine threatens to dwarf alcohol problems

AI/AN Mental Health Disparities

Mental Health Status AI/AN adults compared with Non-Hispanic whites:

•	Serious	psycho	logical	distress	1.7 X	higher

Violence in Indian Country

- Violent deaths from unintentional injuries, homicide, suicide account for 75% of all mortality for AI/AN in their 20s
- Bullying 27.5% AI/AN grades 6-12
 - 20.1% national all races
- AI/AN are 2.5 times as likely to experience violent crimes
- AI/AN are at least 2 times more likely to experience rape or sexual assault crimes compared to all other races
- 61% of AI/AN women have been assaulted in their lifetimes 34% of AI/AN women will be raped in their lifetimes

Violence in Indian Country

- 39% of AI/AN women will be subjected to violence by an intimate partner in their lifetimes;
- 17% AI/AN women reported being stalked during their lifetimes;
- Among AI/AN women victims of rape or sexual assault, an average of 67% describe the offender as non-Native;
- Among Native women victims of assault, an average of 63% describe the offender as non-Native;
- 46% of people living on reservations in 2010 were non-Native.

Trauma in Indian Country

Several distinct forms of trauma have been identified in Indian Country:

- Cultural Trauma
- Historical Trauma
- Intergenerational Trauma
- Current Trauma

Effects of MH Problems

- 90% of AI/AN suicide completers have MH Dx
- Suicide is 2nd leading cause of death
- Suicide contagion in communities push rates higher
- Cultural stigma against talking about death
- Shortage of behavioral health providers
- Turn over of BH staff working in isolation
- Lack of AI/AN providers

Culturally Based Training

- Trauma Focused –Cognitive Behavioral Therapy
 - Project Making Medicine OUHSC
- Wellbriety Training
 - White Bison
- ➤ AI/AN Addictions Technology Transfer Center
 - University of Iowa
- Equine Assisted Therapy
 - Rosebud Sioux Tribe Horse Program
- Healing of the Canoe
 - Northwestern Costal tribes

References

- Gray, J.S. (2016). <u>The Three Sisters: A Cultural Approach to Training.</u>
 Division 45 Presidential Address, American Psychological Association Convention, Denver, CO.
- Gray, J.S. and Anderson, N. (2014). <u>Violence in Native American</u> <u>Communities</u>. APA-ABA Violence in American Conference: Intersection of Law and Psychology, Washington, D.C.
- Indian Country Child Trauma Center (ICCTA). (2010). <u>Trauma in Indian</u>
 <u>Country: A Guide for Professionals.</u> University of Oklahoma Health
 Sciences Center, Oklahoma City, OK.
- Indian Health Service (IHS). (2011). <u>American Indian/Alaska Native</u>

 <u>Behavioral Health Briefing Book.</u> Department of Behavioral Health,
 Indian Health Services, Department of Health and Human Services,
 Washington, D.C.
- Office of Minority Health (OMH). (2016). Mental Health and American Indian/Alaska Natives. Office of Minority Health, Department of Health and Human Services, Washington, D.C. Retrieved on November 24, 2016 from http://minorityhealth.hhs.gov/omh/browse.aspx?lvl=4&lvlid=39